


































































































































INCOMP LEDLIGHTING






EPISTAR CHIP											
Type	Model	Description	Color	LEDs/m	LED type	Watts/M	Voltage	lm/meter	Wavelength/ Kelvin	IP degree	Picture
Non-waterproof strip	INC-CW-3-NWP30-8	30 LEDs per meter #3528 nonwaterproof flexible strip, with 8mm width FPC,DC 12V, 5 meters/reel, with 3M adhesive tape	CW 	30pcs/m	3528	3W/Meter	12V	214,4	8000-11000K	IP33	
	INC-NW-3-NWP30-8		NW 					219,35	5500-6500K		
	INC-WW-3-NWP30-8		WW 					182,1	2700-3300K		
	INC-R-3-NWP30-8		Red 					26,9	619-635nm		
	INC-G-3-NWP30-8		Green 					127,7	512-528nm		
	INC-B-3-NWP30-8		Blue 					42,4	463-475nm		
	INC-Y-3-NWP30-8		Yellow 					52,5	548-595nm		
	INC-CW-3-NWP-8	60 LEDs per meter #3528 nonwaterproof flexible strip, with 8mm width FPC,DC 12V, 5 meters/reel, with 3M adhesive tape	CW 	60pcs/m	3528	6W/meter	12V	430,2	8000-11000K	IP33	
	INC-NW-3-NWP-8		NW 					352,3	5500-6500K		
	INC-WW-3-NWP-8		WW 					344,3	2700-3300K		
	INC-R-3-NWP-8		Red 					56,2	619-635nm		
	INC-G-3-NWP-8		Green 					237,2	512-528nm		
	INC-B-3-NWP-8		Blue 					82,6	463-475nm		
	INC-Y-3-NWP-8		Yellow 					96,4	548-595nm		
	INC-CW-3-NWP120-8	120 LEDs per meter #3528 nonwaterproof flexible strip, with 8mm width FPC,DC 12V, 5 meters/reel, with 3M adhesive tape	CW 	120pcs/m	3528	8W/meter	12V	592,2	8000-11000K	IP33	
	INC-NW-3-NWP120-8		NW 					515,6	5500-6500K		
	INC-WW-3-NWP120-8		WW 					523,7	2700-3300K		
	INC-R-3-NWP120-8		Red 					89,9	619-635nm		
	INC-G-3-NWP120-8		Green 					408,4	512-528nm		
	INC-B-3-NWP120-8		Blue 					128,6	463-475nm		
	INC-Y-3-NWP120-8		Yellow 					136	548-595nm		
INC-CW-5-NWP-10	30 LEDs per meter #5050 nonwaterproof flexible strip, with 10mm width,DC 12V, 5 meters/reel, with 3M adhesive tape	CW 	30pcs/m	5050	7.2W/meter	12V	378,3	8000-11000K	IP33		
INC-NW-5-NWP-10		NW 					493,3	5500-6500K			
INC-WW-5-NWP-10		WW 					410,8	2700-3300K			
INC-R-5-NWP-10		Red 					143,7	619-635nm			
INC-G-5-NWP-10		Green 					338,2	512-528nm			

	INC-B-5-NWP-10		Blue 						104,2	463-475nm								
	INC-Y-5-NWP-10		Yellow 						123,8	548-595nm								
	INC-CW-5-NWP60-10	60 LEDs per meter #5050 nonwaterproof flexible strip, with 10mm width, DC 12V, 5meters/reel, with 3M adhesive tape	CW 	60pcs/m	5050	12W/meter	12V		486	8000-11000K	IP33							
	INC-NW-5-NWP60-10		NW 						486	5500-6500K								
	INC-WW-5-NWP60-10		WW 						486	2700-3300K								
	INC-R-5-NWP60-10		Red 						170,1	619-635nm								
	INC-G-5-NWP60-10		Green 						380	512-528nm								
	INC-B-5-NWP60-10		Blue 						170,1	463-475nm								
	INC-Y-5-NWP60-10		Yellow 						170,1	548-595nm								
	INC-RGB-5-NWP-10		30 RGB LEDs per meter #5050 nonwaterproof flexible strip, with 10mm width,DC 12V, 5 meters/reel, with 3M adhesive tape					 RGB	30pcs/m	5050			7.2W/meter	12V	R 150 G 480 B 120	R 619-635 G 512-528 B 463-475	IP33	
	INC-RGB-5-NWP60-10		60 RGB LEDs per meter #5050 nonwaterproof flexible strip, with 10mm width, DC 12V, 5meters/reel, with 3M adhesive tape					 RGB	60pcs/m	5050			14.4W/meter	12V	R 300 G 960 B 240	R 619-635 G 512-528 B 463-475	IP33	
Waterproof Dripping epoxy flexible strip	INC-CW-3-DA30-8	30 LEDs per meter #3528 waterproof Dripping epoxy flexible strip, with 8mm width FPC,DC 12V, 5 meters/reel, with 3M adhesive tape	CW 	30pcs/m	3528	3W/meter	12V		214,4	8000-11000K	IP65							
	INC-NW-3-DA30-8		NW 						219,35	5500-6500K								
	INC-WW-3-DA30-8		WW 						182,1	2700-3300K								
	INC-R-3-DA30-8		Red 						26,9	619-635nm								
	INC-G-3-DA30-8		Green 						127,7	512-528nm								
	INC-B-3-DA30-8		Blue 						42,4	463-475nm								
	INC-Y-3-DA30-8		Yellow 						52,5	548-595nm								
	INC-CW-3-DA-8	60 LEDs per meter #3528 waterproof Dripping epoxy flexible strip, with 8mm width FPC,DC 12V, 5 meters/reel, with 3M adhesive tape	CW 	60pcs/m	3528	6W/meter	12V		430,2	8000-11000K	IP65							
	INC-NW-3-DA-8		NW 						352,3	5500-6500K								
	INC-WW-3-DA-8		WW 						344,3	2700-3300K								
	INC-R-3-DA-8		Red 						56,2	619-635nm								
	INC-G-3-DA-8		Green 						237,2	512-528nm								
	INC-B-3-DA-8		Blue 						82,6	463-475nm								
	INC-Y-3-DA-8		Yellow 						96,4	548-595nm								
	INC-CW-3-DA120-8							CW 								592,2	8000-11000K	
INC-NW-3-DA120-8		NW 						515,6	5500-6500K									

	INC-WW-3-DA120-8	120 LEDs per meter #3528 waterproof Dripping epoxy flexible strip, with 8mm width FPC,DC 12V, 5 meters/reel, with 3M adhesive tape	WW 	120pcs/m	3528	8W/meter	12V	523,7	2700-3300K	IP65	
	INC-R-3-DA120-8		Red 					89,9	619-635nm		
	INC-G-3-DA120-8		Green 					408,4	512-528nm		
	INC-B-3-DA120-8		Blue 					128,6	463-475nm		
	INC-Y-3-DA120-8		Yellow 					136	548-595nm		
Waterproof Dripping epoxy flexible strip	INC-CW-5-DA-10	30 LEDs per meter #5050 waterproof Dripping epoxy flexible strip, with 10mm width,DC 12V, 5 meters/reel, with 3M adhesive tape	CW 	30pcs/m	5050	7.2W/meter	12V	378,3	8000-11000K	IP65	
	INC-NW-5-DA-10		NW 					493,3	5500-6500K		
	INC-WW-5-DA-10		WW 					410,8	2700-3300K		
	INC-R-5-DA-10		Red 					143,7	619-635nm		
	INC-G-5-DA-10		Green 					338,2	512-528nm		
	INC-B-5-DA-10		Blue 					104,2	463-475nm		
	INC-Y-5-DA-10		Yellow 					123,8	548-595nm		
	INC-CW-5-DA60-10	60 LEDs per meter #5050 waterproof Dripping epoxy flexible strip, with 10mm width,DC 12V, 5 meters/reel, with 3M adhesive tape	CW 	60pcs/m	5050	12W/meter	12V	486	8000-11000K	IP65	
	INC-NW-5-DA60-10		NW 					486	5500-6500K		
	INC-WW-5-DA60-10		WW 					486	2700-3300K		
	INC-R-5-DA60-10		Red 					170,1	619-635nm		
	INC-G-5-DA60-10		Green 					380	512-528nm		
	INC-5-DA60-10		Blue 					170,1	463-475nm		
	INC-Y-5-DA60-10		Yellow 					170,1	548-595nm		
	INC-RGB-5-DA-10	30 RGB LEDs per meter #5050 waterproof Dripping epoxy flexible strip, with 10mm width,DC 12V, 5 meters/reel, with 3M adhesive tape		30pcs/m	5050	7.2W/meter	12V	R 150 G 480 B 120	R 619-635 G 512-528 B 463-475	IP65	
	INC-RGB-5-DA60-10	60 RGB LEDs per meter #5050 waterproof Dripping epoxy flexible strip, with 10mm width, DC 12V, 5meters/reel, with 3M adhesive tape		60pcs/m	5050	14.4W/meter	12V	R 300 G 960 B 240	R 619-635 G 512-528 B 463-475	IP65	
Waterproof silicone tube flexible strin	INC-CW-3-ST30-8	30 LEDs per meter #3528 Waterproof silicone tube flexible strip, with 8mm width FPC,DC	CW 	30pcs/m	3528	3W/meter	12V	214,4	8000-11000K	IP67	
	INC-NW-3-ST30-8		NW 					219,35	5500-6500K		
	INC-WW-3-ST30-8		WW 					182,1	2700-3300K		
	INC-R-3-ST30-8		Red 					26,9	619-635nm		

Flexible strip	INC-G-3-ST30-8	12V, 5 meters/reel	Green 					127,7	512-528nm		
	INC-B-3-ST30-8		Blue 					42,4	463-475nm		
	INC-Y-3-ST30-8		Yellow 					52,5	548-595nm		
Waterproof silicone tube flexible strip	INC-CW-3-ST-8	60 LEDs per meter #3528 Waterproof silicone tube flexible strip, with 8mm width FPC,DC 12V, 5 meters/reel	CW 	60pcs/m	3528	6W/meter	12V	430,2	8000-11000K	IP67	
	INC-NW-3-ST-8		NW 					352,3	5500-6500K		
	INC-WW-3-ST-8		WW 					344,3	2700-3300K		
	INC-R-3-ST-8		Red 					56,2	619-635nm		
	INC-G-3-ST-8		Green 					237,2	512-528nm		
	INC-B-3-ST-8		Blue 					82,6	463-475nm		
	INC-Y-3-ST-8		Yellow 					96,4	548-595nm		
	INC-CW-3-ST120-8	120 LEDs per meter #3528 Waterproof silicone tube flexible strip, with 8mm width FPC,DC 12V, 5 meters/reel	CW 	120pcs/m	3528	8W/meter	12V	592,2	8000-11000K	IP67	
	INC-NW-3-ST120-8		NW 					515,6	5500-6500K		
	INC-WW-3-ST120-8		WW 					523,7	2700-3300K		
	INC-R-3-ST120-8		Red 					89,9	619-635nm		
	INC-G-3-ST120-8		Green 					408,4	512-528nm		
	INC-B-3-ST120-8		Blue 					128,6	463-475nm		
	INC-Y-3-ST120-8		Yellow 					136	548-595nm		
INC-CW-5-ST-10	30 LEDs per meter #5050 Waterproof silicone tube flexible strip, with 8mm width FPC,DC 12V, 5 meters/reel	CW 	30pcs/m	5050	7.2W/meter	24V	378,3	8000-11000K	IP67		
INC-NW-5-ST-10		NW 					493,3	5500-6500K			
INC-WW-5-ST-10		WW 					410,8	2700-3300K			
INC-R-5-ST-10		Red 					143,7	619-635nm			
INC-G-5-ST-10		Green 					338,2	512-528nm			
INC-B-5-ST-10		Blue 					104,2	463-475nm			
INC-Y-5-ST-10		Yellow 					123,8	548-595nm			
Waterproof	INC-CW-5-ST60-10	60 LEDs per meter #5050 Waterproof silicone tube flexible strip, with 10mm width FPC,DC 12V, 5 meters/reel	CW 	60pcs/m	5050	12W/meter	24V	486	8000-11000K	IP67	
	INC-NW-5-ST60-10		NW 					486	5500-6500K		
	INC-WW-5-ST60-10		WW 					486	2700-3300K		
	INC-R-5-ST60-10		Red 					170,1	619-635nm		
	INC-G-5-ST60-10		Green 					380	512-528nm		
	INC-B-5-ST60-10		Blue 					170,1	463-475nm		
	INC-Y-5-ST60-10		Yellow 					170,1	548-595nm		

silicone tube flexible strip	INC-RGB-5-ST-10	30 RGB LEDs per meter #5050 waterproof silicone tube flexible strip, with 10mm width,DC 12V, 5 meters/reel, with 3M adhesive tape	 RGB	30pcs/m	5050	7.2W/meter	12V	R 150 G 480 B 120	R 619-635 G 512-528 B 463-475	IP67		
	INC-RGB-5-ST60-10	60 RGB LEDs per meter #5050 silicone tube flexible strip, with 10mm width, DC 12V, 5meters/reel, with 3M adhesive tape	 RGB	60pcs/m	5050	14.4W/meter	12V	R 300 G 960 B 240	R 619-635 G 512-528 B 463-475	IP67		
Waterproof silicone tube with glues pouring flexible strip	INC-CW-3-STG-8	60 LEDs per meter #3528 waterproof silicone tube with glues pouring flexible strip, with 8mm width FPC,DC 12V, 5meters/reel	CW 	60pcs/m	3528	6W/meter	12V	300	8000-11000K	IP68		
	INC-NW-3-STG-8		NW 					300	5500-6500K			
	INC-WW-3-STG-8		WW 					300	2700-3300K			
	INC-R-3-STG-8		Red 					66	619-635nm			
	INC-G-3-STG-8		Green 					180	512-528nm			
	INC-B-3-STG-8		Blue 					54	463-475nm			
	INC-Y-3-STG-8		Yellow 					60	548-595nm			
	INC-CW-3-STG120-8	120 LEDs per meter #3528 waterproof silicone tube with glues pouring flexible strip, with 8mm width FPC,DC 12V, 5 meters/reel	CW 	120pcs/m	3528	8W/meter	12V	592,2	8000-11000K	IP68		
	INC-NW-3-STG120-8		NW 					515,6	5500-6500K			
	INC-WW-3-STG120-8		WW 					523,7	2700-3300K			
	INC-R-3-STG120-8		Red 					89,9	619-635nm			
	INC-G-3-STG120-8		Green 					408,4	512-528nm			
	INC-B-3-STG120-8		Blue 					128,6	463-475nm			
	INC-Y-3-STG120-8		Yellow 					136	548-595nm			
Waterproof silicone tube with glues pouring flexible strip	INC-CW-5-STG-10	30 LEDs per meter #5050 waterproof silicone tube with glues pouring flexible strip, with 10mm width,DC 12V, 5m/reel	CW 	30pcs/m	5050	7.2W/meter	12V	378,3	8000-11000K	IP68		
	INC-NW-5-STG-10		NW 					493,3	5500-6500K			
	INC-WW-5-STG-10		WW 					410,8	2700-3300K			
	INC-R-5-STG-10		Red 					143,7	619-635nm			
	INC-G-5-STG-10		Green 					338,2	512-528nm			
	INC-B-5-STG-10		Blue 					104,2	463-475nm			
	INC-Y-5-STG-10		Yellow 					123,8	548-595nm			
	INC-CW-5-STG60-10	60 LEDs per meter #5050	CW 					486	8000-11000K	IP68		
	INC-NW-5-STG60-10		NW 					486	5500-6500K			
	INC-WW-5-STG60-10		WW 					486	2700-3300K			

INC-R-5-STG60-10	waterproof silicone tube with glues pouring flexible strip, with 10mm width,DC 12V, 5m/reel	Red 	60pcs/m	5050	12W/meter	12V	170,1	619-635nm	IP68	
INC-G-5-STG60-10		Green 					380	512-528nm		
INC-B-5-STG60-10		Blue 					170,1	463-475nm		
INC-Y-5-STG60-10		Yellow 					170,1	548-595nm		

JELÖLÉSEK

1
2
3
4
5
6

INC(1)-Y(2)-5(3)-STG(4)60(5)-10(6)

GYÁRTÓ

SZIN

LED TÍPUS

IP KATEGORIA

LEDEK SZÁMA/1M

SZALAG SZÉLESSÉGE

5=5050 3=3528

IP33 IP 65 IP 67 IP68

30 -60- 120

8MM 10MM