

MR16 5W 105° LED Spot 3000K G2

PRODUCT INFORMATION

Product code	60319
Product code (long)	IE-MR16-5-350-3000K-105-G2
Product description	MR16 5W 105° LED Spot 3000K G2
EAN code	5999097603193
Category	Retrofit

ELECTRICAL DATA

Nominal wattage	5W
Rated wattage	5W
Nominal voltage	12V
Nominal current	600
Power factor	0,5
Wattage of equivalent filament lamp	35W

PHOTOMETRIC DATA

Nominal luminous flux	315 lm
Rated luminous flux	350 lm
Rated useful luminous flux	70
Nominal beam angle (half-peak value)	105°
Rated beam angle (half-peak value)	105°
Correlated colour temperature	3000K
Colour temperature designation	warm white
Colour rendering index (Ra)	80
Colour consistency	< 6
Warm-up time to reach 60% of full light	< 0.5 s
Suitable for accent lighting	N

MECHANICAL DATA

Overall diameter	50 mm
Overall height	49 mm
Lamp shape	MR16
Weight	0,04 kg

LIFE SPAN

Nominal life time	15 000 hrs
Rated life time	15 000 hrs
Number of switching cycles	12500
Lumen main.fact.at end of nom.life time	>70%

ADDITIONAL TECHNICAL INFORMATION

Starting time	<0,5S
Optimum operating ambient temperature	-10°C - +50°C
Lamp cap	GX5.3
Lamp finish	Milky cover
Dimming	Non-dimmable
Energy efficiency class	A+
Energy consumption	5 kWh/100h
IP rating	IP42

