PRODUCT INFORMATION

Product code
Product code (long)
Product description
EAN code
Category

ELECTRICAL DATA

Nominal wattage	5 W
Rated wattage	5.0 W
Nominal voltage	12 V AC/DC
Nominal current	600 mA
Power factor	0.5
Wattage of equivalent filament lamp	32 W

PHOTOMETRIC DATA

Nominal useful luminous flux
Rated useful luminous flux
Nominal beam angle (half-peak value)
Rated beam angle (half-peak value)
Rated peak intensity
Correlated colour temperature
Colour temperature designation
Colour rendering index (Ra)
Colour consistency
Warm-up time to reach 60% of full light
Suitable for accent lighting

MECHANICAL DATA

Overall length	46 mm
Overal diameter	50 mm
Lamp shape	PAR16

LIFE SPAN

Nominal life time
Rated life time
Number of switching cycles
Lumen main.fact.at end of nom.life time

ADDITIONAL TECHNICAL INFORMATION

Starting time	< 0.5 s
6	
Lamp cap	GU5.3
	1.5
Lamp finish	white
Dimming	non-dimmable
Diriting	non-unninable
Energy efficiency class	A
-	=
Energy consumption	5 kWh/1000h









IE60113 IE-MR16-5-350-3000K-105 MR16 5W 105° LED Spot 3000K 5999097601137 Retrofit

350 lm 350 lm 105° 190 cd 3000 K warm white 80+ Ra ≤ 6 SDCM

≤ 1.0 s No

15000 h 15000 h 15000 70%