# PRODUCT INFORMATION

Product code	60320
Product code (long)	IE-MR
Product description	MR16
EAN code	59990
Category	Retrof

## ELECTRICAL DATA

Nominal wattage	5W
Rated wattage	5W
Nominal voltage	12V
Nominal current	600
Power factor	0,5
Wattage of equivalent filament lamp	35W

### PHOTOMETRIC DATA

Nominal luminous flux	342 lm
Rated luminous flux	380 lm
Rated useful luminous flux	76
Nominal beam angle (half-peak value)	105°
Rated beam angle (half-peak value)	105°
Correlated colour temperature	6500K
Colour temperature designation	daylight
Colour rendering index (Ra)	80
Colour consistency	< 6
Warm-up time to reach 60% of full light	< 0.5 s
Suitable for accent lighting	Ν

# MECHANICAL DATA

nm
6
kg

## LIFE SPAN

Nominal life time	15 000 hrs
Rated life time	15 000 hrs
Number of switching cycles	12500
Lumen main.fact.at end of nom.life time	>70%

### ADDITIONAL TECHNICAL INFORMATION

Starting time	<0.55
Optimum operating ambient temperature	-10°C - +50°C
Lamp cap	GX5.3
Lamp finish	Milky cover
Dimming	Non-dimmable
Energy efficiency class	A+
Energy consumption	5 kWh/100h
IP rating	IP42

60320 IE-MR16-5-380-6500K-105-G2 MR16 5W 105° LED Spot 6500K G2 5999097603209 Retrofit





